

FIG. 1




FIG. 2






FIG. 3













FIG. 6A














FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16

FIG. 17A




FIG. 17B




FIG. 18A








FIG. 18B












FIG. 20




FIG. 21




FIG. 22

FIG. 23




FIG. 24





FIG. 25



()




FIG. 27








FIG. 28













 \bigcirc












FIG. 37




FIG. 38




FIG. 39

40/41

EXPLANATION OF REFERENCE

100: substrate, 101: pixel portion, 102: pixel, 103: scanning line side input terminal, 104: signal line side input terminal, 105: driver IC, 106: driver IC, 107: scanning line side driver circuit, 108: protection diode, 201: signal wiring, 202: gate wiring layer, 203: gate electrode layer, 204: capacitor wiring layer, 205: TiO2 layer, 206: TiO2 layer, 207: TiO₂ layer, 208: insulating layer, 209: insulating layer, 210: insulating layer, 211: semiconductor layer, 212: insulating layer, 213: mask, 214: insulating layer, 216: mask, 217: semiconductor layer, 218: semiconductor layer, 219: source-drain wiring layer, 220: source-drain wiring layer, 221: signal wiring, 222: semiconductor layer, 223: semiconductor layer, 224: pixel electrode layer, 225: insulating layer, 226: sealant, 227: insulating layer, 228: conductive layer, 229: opposite substrate, 230: liquid crystal layer, 231: region, 232: wiring board,233: switching TFT, 234: capacitor element, 235: connection wire layer, 240: insulating layer, 241: opening, 242: opening, 244: insulating layer, 250: gate electrode layer, 251: semiconductor layer, 252: insulating layer, 253: wiring layer, 254: common potential line, 255: common potential line, 256: signal wiring layer, 259: light conducting plate, 260: TFT, 261: protection diode, 262: protection diode, 263: protection diode, 264: protection diode, 265: capacitor element, 270: colored layer, 271: polarizing plate, 272: polarizing plate, 273: flexible wiring board, 274: circuit board, 275: cold cathode fluorescent tube, 301: semiconductor layer, 302: mask, 303: semiconductor layer, 304: semiconductor layer, 305: source-drain wiring layer, 306: source-drain wiring layer, 307: semiconductor layer, 308: semiconductor layer, 309: semiconductor layer, 310: pixel electrode layer, 311: insulating layer, 312: sealant, 313: orientation film, 314: opposite electrode, 315: substrate, 316: liquid crystal layer, 317: connection terminal, 401: pixel portion, 402: signal line side driver circuit, 403: scanning line side driver circuit, 404: tuner, 405: video signal amplifier circuit, 406: video signal processing circuit, 407: control circuit, 408: signal dividing circuit, 409: audio signal amplifier circuit, 410: audio signal processing circuit, 411: control circuit, 412: input portion, 413: speaker, 500: pulse output circuit, 501: buffer circuit 502: pixel, 601 to 635:TFT, 811: resin, 812: FPC, 813: wiring, 814: conductive particle, 815: resin, 816: adhesive, 817: wiring, 818: sealing resin, 1001: substrate, 1002: pixel portion, 1003: driver circuit, 1004: driver circuit, 1005: substrate, 1006: tape, 1007: IC chip, 1008: substrate, 1009: tape, 1010: IC chip, 1100: Ti film, 1101: activation region, 1201: connection wiring layer, 1202: connection wiring layer, 1203: connection wiring layer, 1400: substrate, 1401: droplet discharge means, 1402: imaging means, 1403: head, 1404: control means, 1405: storage medium,

41/41

1406: image processing means, 1407: computer, 1408: marker, 2301: module chassis, 2302: speaker, 2303: display screen, 2304: speaker, 2305: operation switch, 9001: pixel electrode, 9002: semiconductor layer, 9003: semiconductor layer, 9004: source-drain wiring layer, 9005: source-drain wiring layer, 9101: semiconductor layer, 9102: semiconductor layer, 9103: source-drain wiring, 9104: source-drain wiring, 9105: pixel electrode, 9201: source-drain wiring layer, 9202: source-drain wiring layer, 9203: pixel electrode, 9204: semiconductor layer, 9205: mask, 9206: semiconductor layer, 9207: gate insulating film, 9208: gate insulating film, 9209: pixel electrode, 9210: mask, 9301: pixel electrode, 9302: source-drain wiring layer, 9303: source-drain wiring layer, 9304: semiconductor layer, 9305: mask, 9306: semiconductor layer, 9307: gate insulating film, 9308: gate insulating film, 9309: gate electrode, 9310: mask